

# TLED - TYPE A

2FT, 3FT, 4FT

## EIKO MODEL #S - TLED- TYPE A - 2FT, 3FT, 4FT

|                   |                   |                    |                    |                    |
|-------------------|-------------------|--------------------|--------------------|--------------------|
| L8WT8/24/AG/835   | L8WT8/24/AG/840   | L8WT8/24/AG/850    | L10WT8/36/AG/835   | L10WT8/36/AG/840   |
| L10WT8/36/AG/850  | L8.5WT8/48/AG/835 | L8.5WT8/48/AG/840  | L8.5WT8/48/AG/850  | L9.9WT8/48/AG/835  |
| L9.9WT8/48/AG/840 | L9.9WT8/48/AG/850 | L12.9WT8/48/AG/835 | L12.9WT8/48/AG/840 | L12.9WT8/48/AG/850 |

## TLED - TYPE A - 2FT, 3FT, 4FT

| BALLAST/<br>DRIVER BRAND | PART #                   | START<br>METHOD | # OF<br>LAMPS | BALLAST<br>FACTOR |       | N-1 LAMP   |            |            | N LAMP     |            |            |
|--------------------------|--------------------------|-----------------|---------------|-------------------|-------|------------|------------|------------|------------|------------|------------|
|                          |                          |                 |               | TYPE              | VALUE | 120<br>VAC | 277<br>VAC | 347<br>VAC | 120<br>VAC | 277<br>VAC | 347<br>VAC |
| ACT                      | ACT 2P32ISUNVE           | IS              | 2             | N                 | 0.89  | C          | C          | NA         | C          | C          | NA         |
| ANTRON ELECTRONICS       | A32T8MICLO               | IS              | 2             | L                 | 0.78  | C          | C          | NA         | C          | C          | NA         |
| ARCATA                   | ACT 3P32ISUNVLE          | IS              | 3             | L                 | 0.78  | C          | C          | NA         | C          | C          | NA         |
| Cooper Lighting          | CL-432ISUNV-R1-B         | IS              | 4             | H                 | 1.18  | C          | C          | NA         | C          | C          | NA         |
| DAMAR                    | EL232-120/277HF(1688B)   | IS              | 2             | N                 | /     | NC         | NC         | NA         | C          | C          | NA         |
| DAMAR                    | EL232HL-120/277HF(1688D) | IS              | 2             | H                 | /     | NC         | NC         | NA         | C          | C          | NA         |
| DAMAR                    | EL332-120/277HF(3654C)   | IS              | 3             | N                 | /     | NC         | NC         | NA         | C          | C          | NA         |
| DAMAR                    | EL332HL-120/277HF(3654H) | IS              | 3             | H                 | /     | NC         | NC         | NA         | C          | P          | NA         |
| DAMAR                    | EL432-120/277HF(3093B)   | IS              | 4             | N                 | /     | NC         | NC         | NA         | C          | C          | NA         |
| DAMAR                    | EL432HL-120/277HF(3093C) | IS              | 4             | H                 | /     | NC         | NC         | NA         | C          | C          | NA         |
| EiKO                     | PM-2X32T8-UNV-IS-L       | IS              | 2             | L                 | 0.77  | C          | C          | NA         | C          | C          | NA         |
| EiKO                     | PM-3X32T8-UNV-IS         | IS              | 3             | N                 | 0.87  | NC         | C          | NA         | NC         | C          | NA         |
| EiKO                     | PM-3X32T8-UNV-IS-H       | IS              | 3             | H                 | 1.18  | NC         | NC         | NA         | NC         | C          | NA         |
| EiKO                     | PM-3X32T8-UNV-IS-L       | IS              | 3             | L                 | 0.78  | NC         | C          | NA         | NC         | C          | NA         |
| EiKO                     | PM-4X32T8-UNV-IS         | IS              | 4             | N                 | 0.88  | NC         | C          | NA         | NC         | C          | NA         |
| EiKO                     | PM-4X32T8-UNV-IS-L       | IS              | 4             | L                 | 0.78  | NC         | C          | NA         | NC         | C          | NA         |
| EiKO                     | PM-2X32T8-UNV-IS         | IS              | 2             | N                 | 0.87  | C          | C          | NA         | C          | C          | NA         |
| EiKO                     | PM-2x32T8-UNV-IS-H       | IS              | 2             | H                 | 1.18  | NC         | NC         | NA         | C          | C          | NA         |
| EiKO                     | PM-3X32T8-UNV-PS         | PS              | 3             | N                 | 0.88  | NA         | NA         | NA         | NC         | NC         | NA         |
| EiKO                     | PM-3X32T8-UNV-PS-H       | PS              | 3             | H                 | 1.18  | NA         | NA         | NA         | NC         | NC         | NA         |
| EiKO                     | PM-2x32T8-UNV-PS         | PS              | 2             | N                 | 0.88  | NC         | NC         | NA         | NC         | NC         | NA         |
| ESPEN                    | VE232MVHIPE              | IS              | 2             | N                 | 0.89  | C          | C          | NA         | C          | C          | NA         |
| ESPEN                    | VE232MVHIPHE             | IS              | 2             | H                 | 1.19  | NC         | NC         | NA         | C          | C          | NA         |
| ESPEN                    | VE232MVHIPL              | IS              | 2             | L                 | 0.77  | C          | C          | NA         | C          | C          | NA         |
| ESPEN                    | VE232MVHRPHT3-AB         | PS              | 2             | H                 | 1.20  | NA         | NA         | NA         | NC         | NC         | NA         |
| FUSION                   | FB432347E-N              | IS              | 4             | N                 | 0.88  | NA         | NA         | C          | NA         | NA         | C          |
| FUSION                   | FB232347E-N              | IS              | 2             | N                 | 0.88  | NA         | NA         | C          | NA         | NA         | C          |
| FUSION                   | FB232MVE-N               | IS              | 2             | N                 | 0.88  | C          | C          | NA         | C          | C          | NA         |
| FUSION                   | FB432MVE-N               | IS              | 4             | N                 | 0.88  | C          | C          | NA         | C          | C          | NA         |
| General Electric         | GE-232-MV-N              | IS              | 2             | N                 | 0.88  | C          | C          | NA         | C          | C          | NA         |
| General Electric         | GE232MAX-N/ULTRA         | IS              | 2             | N                 | 0.88  | C          | C          | NA         | C          | C          | NA         |
| General Electric         | GE432MAX-H/ULTRA         | IS              | 4             | H                 | 1.18  | C          | C          | NA         | C          | C          | NA         |
| General Electric         | GE432MAX-L/ULTRA         | IS              | 4             | L                 | 0.78  | C          | C          | NA         | C          | C          | NA         |
| General Electric         | GE-232-MAX-H/Ultra       | IS              | 2             | H                 | 1.15  | NC         | NC         | NA         | NC         | NC         | NA         |
| General Electric         | GE432MAX-G-N             | IS              | 4             | N                 | 0.88  | C          | C          | NA         | C          | C          | NA         |
| General Electric         | GE132MAX-G-N             | IS              | 1             | N                 | 0.88  | NA         | NA         | NA         | NC         | NC         | NA         |
| General Electric         | GE132MAX-H/ULTRA         | IS              | 1             | H                 | 1.18  | NA         | NA         | NA         | NC         | NC         | NA         |
| General Electric         | GE132MAX-L/ULTRA         | IS              | 1             | L                 | 0.78  | NA         | NA         | NA         | NC         | NC         | NA         |
| General Electric         | GE132MAXP-N/ULTRA        | IS              | 1             | N                 | 0.88  | NA         | NA         | NA         | C          | C          | NA         |
| General Electric         | GE232MV-N-DIY            | IS              | 2             | N                 | 0.88  | C          | C          | NA         | C          | C          | NA         |
| General Electric         | GE232MAX-L/ULTRA         | IS              | 2             | L                 | 0.78  | NC         | NC         | NA         | NC         | NC         | NA         |
| General Electric         | GE232MAX347-N            | IS              | 2             | H                 | 1.02  | NA         | NA         | NC         | NA         | NA         | NC         |
| General Electric         | GE332MV-N                | IS              | 3             | N                 | 0.87  | C          | P          | NA         | C          | P          | NA         |

### LEGEND

|           |               |           |               |           |                  |           |                |              |                               |           |                |          |        |                 |      |
|-----------|---------------|-----------|---------------|-----------|------------------|-----------|----------------|--------------|-------------------------------|-----------|----------------|----------|--------|-----------------|------|
| <b>IS</b> | Instant Start | <b>PH</b> | Preheat Start | <b>PS</b> | Programmed Start | <b>RS</b> | Rapid Start    | <b>PS/DM</b> | Programmed Start and Dimmable | <b>L</b>  | Low            | <b>N</b> | Normal | <b>H</b>        | High |
| <b>NT</b> | Not Tested    | <b>T</b>  | THD > 30%     | <b>P</b>  | PF < 0.85        | <b>NA</b> | Not Applicable | <b>C</b>     | Compatible                    | <b>NC</b> | Not Compatible |          |        | <b>EIKO.COM</b> |      |

# TLED - TYPE A - 2FT, 3FT, 4FT

| BALLAST/<br>DRIVER BRAND | PART #              | START<br>METHOD | # OF<br>LAMPS | BALLAST<br>FACTOR |       | N-1 LAMP   |            |            | N LAMP     |            |            |
|--------------------------|---------------------|-----------------|---------------|-------------------|-------|------------|------------|------------|------------|------------|------------|
|                          |                     |                 |               | TYPE              | VALUE | 120<br>VAC | 277<br>VAC | 347<br>VAC | 120<br>VAC | 277<br>VAC | 347<br>VAC |
| General Electric         | GE332MAX-N/ULTRA    | IS              | 3             | N                 | 0.88  | C          | P          | NA         | C          | C          | NA         |
| General Electric         | GE332MAX-L/ULTRA    | IS              | 3             | L                 | 0.78  | C          | P          | NA         | C          | P          | NA         |
| General Electric         | GE332MAX-G-N        | IS              | 3             | N                 | 0.87  | C          | P          | NA         | C          | C          | NA         |
| General Electric         | GE332MAXP-H/ULTRA   | IS              | 3             | H                 | 1.18  | NC         | NC         | NA         | C          | C          | NA         |
| General Electric         | GE332MAX-N/ULTRA    | IS              | 3             | N                 | 0.88  | C          | P          | NA         | C          | C          | NA         |
| General Electric         | GE332MAX-L/ULTRA    | IS              | 3             | L                 | 0.78  | C          | P          | NA         | C          | P          | NA         |
| General Electric         | GE332MAX-G-N        | IS              | 3             | N                 | 0.87  | C          | P          | NA         | C          | C          | NA         |
| General Electric         | GE332MAXP-H/ULTRA   | IS              | 3             | H                 | 1.18  | NC         | NC         | NA         | C          | C          | NA         |
| General Electric         | GE432-120-RES       | IS              | 4             | N                 | 0.83  | C          | NA         | NA         | C          | NA         | NA         |
| General Electric         | GE432MV-N-42T       | IS              | 4             | N                 | 0.93  | NC         | NC         | NA         | NC         | NC         | NA         |
| General Electric         | GE432MAX-N/ULTRA    | IS              | 4             | N                 | 0.88  | C          | C          | NA         | C          | C          | NA         |
| General Electric         | GE432MAX347-N       | IS              | 4             | N                 | 0.94  | NA         | NA         | C          | NA         | NA         | C          |
| General Electric         | GE232MAXP90-V60     | IS              | 2             | H                 | 1.18  | NC         | NC         | NA         | C          | C          | NA         |
| General Electric         | GE332MAXP90-V60     | IS              | 3             | H                 | 1.18  | NC         | NC         | NA         | C          | C          | NA         |
| General Electric         | GE432MAXP90-S60     | IS              | 4             | H                 | 1.18  | NC         | NC         | NA         | C          | C          | NA         |
| General Electric         | GE432MAXP-H/ULTRA   | IS              | 4             | H                 | 1.18  | NC         | NC         | NA         | C          | C          | NA         |
| General Electric         | GE432MAX90-S60      | IS              | 4             | H                 | 1.18  | NC         | NC         | NA         | C          | C          | NA         |
| General Electric         | GE332MAXP-L/ULTRA   | IS              | 3             | L                 | 0.77  | C          | C          | NA         | C          | C          | NA         |
| General Electric         | GE232MAX-G-N        | IS              | 2             | N                 | 0.88  | C          | C          | NA         | C          | C          | NA         |
| General Electric         | GE-232-MAX-H-42T    | IS              | 2             | H                 | /     | NC         | NC         | NA         | NC         | NC         | NA         |
| General Electric         | GE432MAX-H-42T      | IS              | 4             | H                 | /     | NC         | NC         | NA         | NC         | NC         | NA         |
| General Electric         | 332MAX-H-84TS       | IS              | 3             | H                 | /     | NC         | NC         | NA         | NC         | NC         | NA         |
| General Electric         | 332MAX-H-42T        | IS              | 3             | H                 | /     | NC         | NC         | NA         | NC         | NC         | NA         |
| General Electric         | GE432MAX-G-H        | IS              | 4             | H                 | 1.18  | NC         | NC         | NA         | C          | C          | NA         |
| General Electric         | GE232-MVPS-N        | PS              | 2             | N                 | 0.88  | NC         | NC         | NA         | NC         | NC         | NA         |
| General Electric         | GE-232-MV-PS-N      | PS              | 2             | N                 | 0.88  | C          | C          | NA         | C          | C          | NA         |
| Halco                    | EP232IS/MV/HE       | IS              | 2             | N                 | 0.88  | C          | C          | NA         | C          | C          | NA         |
| Halco                    | EP332IS/MV/HE       | IS              | 3             | N                 | 0.87  | C          | C          | NA         | C          | C          | NA         |
| Halco                    | EP432IS/MV/HE       | IS              | 4             | N                 | 0.88  | NC         | C          | NA         | NC         | C          | NA         |
| Halco                    | EP432IS/L/MV/HE     | IS              | 4             | L                 | 0.78  | C          | C          | NA         | C          | C          | NA         |
| Halco                    | EP232IS/L/MV/HE     | IS              | 2             | L                 | 0.78  | C          | C          | NA         | C          | C          | NA         |
| Halco                    | EP232IS/H/MV/HE     | IS              | 2             | H                 | 1.18  | NC         | NC         | NA         | NC         | NC         | NA         |
| Halco                    | EP332IS/L/MV/HE     | IS              | 3             | L                 | 0.78  | C          | C          | NA         | C          | C          | NA         |
| Halco                    | EP432IS/120/MC      | IS              | 4             | N                 | 0.88  | C          | C          | NA         | C          | C          | NA         |
| HATCH                    | HL232BIS/UV/HE/W    | IS              | 2             | N                 | 0.9   | C          | C          | NA         | C          | C          | NA         |
| HATCH                    | HL432BIS/UV/HE/W    | IS              | 4             | N                 | 0.9   | C          | P          | NA         | C          | C          | NA         |
| HOWARD INDUSTRIES        | EPH4/32IS/MV/SC/HE  | IS              | 4             | H                 | 1.16  | NC         | NC         | NA         | C          | C          | NA         |
| HOWARD INDUSTRIES        | EP3/32IS/MV/SC/HE   | IS              | 3             | N                 | 0.87  | C          | C          | NA         | C          | C          | NA         |
| HOWARD INDUSTRIES        | EPL4/32IS/MV/MC/HE  | IS              | 4             | L                 | 0.77  | C          | C          | NA         | C          | C          | NA         |
| HOWARD INDUSTRIES        | EPH2/32IS/MV/MC/HE  | IS              | 2             | H                 | 1.18  | NC         | NC         | NA         | C          | C          | NA         |
| HOWARD INDUSTRIES        | E2/32IS-120MC       | IS              | 2             | N                 | 0.85  | P,T        | NA         | NA         | P,T        | NA         | NA         |
| HOWARD INDUSTRIES        | EPL2/32IS/MV/MC/HE  | IS              | 2             | L                 | 0.78  | C          | P,T        | NA         | C          | P          | NA         |
| HOWARD INDUSTRIES        | EPL3/32IS/MV/SC/HE  | IS              | 3             | L                 | 0.78  | C          | C          | NA         | C          | C          | NA         |
| HOWARD INDUSTRIES        | EP4/32IS/MV/MC/HE   | IS              | 4             | N                 | 0.88  | C          | C          | NA         | C          | C          | NA         |
| HOWARD INDUSTRIES        | EP2/32IS/MV/MC/HE   | IS              | 2             | N                 | 0.89  | C          | C          | NA         | C          | C          | NA         |
| HOWARD INDUSTRIES        | EP3/32IS/MV/MC/HE   | IS              | 3             | N                 | 0.88  | C          | C          | NA         | C          | C          | NA         |
| HOWARD INDUSTRIES        | EPH3/32IS/MV/MC/HE  | IS              | 3             | N                 | 0.91  | C          | P          | NA         | C          | P          | NA         |
| HOWARD INDUSTRIES        | EP2/32PRS/MV/MC/HE  | PRS             | 2             | N                 | 0.86  | NC         | NC         | NA         | C          | C          | NA         |
| HOWARD INDUSTRIES        | EP4/32PPRS/MV/SC/HE | PRS             | 4             | N                 | /     | C          | C          | NA         | C          | C          | NA         |
| KEYSTONE                 | KTEB-232-UV-IS-N-P  | IS              | 2             | N                 | 0.87  | C          | C          | NA         | C          | NC         | NA         |
| KEYSTONE                 | KTEB-432RIS-1-TP-SL | IS              | 4             | N                 | 0.80  | C          | NA         | NA         | C          | NA         | NA         |
| KEYSTONE                 | KTEB-332-UV-IS-N-P  | IS              | 3             | N                 | 0.87  | C          | C          | NA         | C          | C          | NA         |
| KEYSTONE                 | KTEB-432-UV-IS-N-P  | IS              | 4             | N                 | 0.87  | NC         | C          | NA         | NC         | C          | NA         |

## LEGEND

|           |               |           |               |           |                  |           |                |              |                               |           |                |          |        |  |      |
|-----------|---------------|-----------|---------------|-----------|------------------|-----------|----------------|--------------|-------------------------------|-----------|----------------|----------|--------|--|------|
| <b>IS</b> | Instant Start | <b>PH</b> | Preheat Start | <b>PS</b> | Programmed Start | <b>RS</b> | Rapid Start    | <b>PS/DM</b> | Programmed Start and Dimmable | <b>L</b>  | Low            | <b>N</b> | Normal | <b>H</b>                               | High |
| <b>NT</b> | Not Tested    | <b>T</b>  | THD > 30%     | <b>P</b>  | PF < 0.85        | <b>NA</b> | Not Applicable | <b>C</b>     | Compatible                    | <b>NC</b> | Not Compatible |          |        | <a href="http://EIKO.COM">EIKO.COM</a> |      |

## TLED - TYPE A - 2FT, 3FT, 4FT

| BALLAST/<br>DRIVER BRAND     | PART #                  | START<br>METHOD | # OF<br>LAMPS | BALLAST<br>FACTOR |       | N-1 LAMP   |            |            | N LAMP     |            |            |
|------------------------------|-------------------------|-----------------|---------------|-------------------|-------|------------|------------|------------|------------|------------|------------|
|                              |                         |                 |               | TYPE              | VALUE | 120<br>VAC | 277<br>VAC | 347<br>VAC | 120<br>VAC | 277<br>VAC | 347<br>VAC |
| KEYSTONE                     | KTEB-232LBF-1-TP-PIC-EV | IS              | 2             | N                 | 0.88  | C          | NA         | NA         | C          | NA         | NA         |
| KEYSTONE                     | KTEB-232-UV-IS-H-P      | IS              | 2             | H                 | 1.18  | NC         | NC         | NA         | C          | P          | NA         |
| KEYSTONE                     | KTEB-332-UV-IS-H-P      | IS              | 3             | H                 | 1.18  | NC         | NC         | NA         | C          | C          | NA         |
| KEYSTONE                     | KTEB-432-UV-IS-H-P      | IS              | 4             | H                 | 1.18  | NC         | NC         | NA         | C          | C          | NA         |
| KEYSTONE                     | KTEB-232-UV-PS-H-P      | PS              | 2             | H                 |       | NC         | NC         | NA         | C          | C          | NA         |
| KEYSTONE                     | KTEB-332-UV-PS-H-P      | PS              | 3             | H                 | /     | NC         | NC         | NA         | C          | C          | NA         |
| KEYSTONE                     | KTEB-432-UV-PS-N-P      | PS              | 4             | N                 | /     | C          | C          | NA         | C          | C          | NA         |
| KEYSTONE                     | KTEB-232-UV-PS-L-P      | PS              | 2             | L                 | /     | C          | C          | NA         | C          | C          | NA         |
| LIGHTING<br>PRODUCTS LIMITED | EB-332EBF-UV-TP-HE      | IS              | 3             | L                 | 0.78  | C          | C          | NA         | C          | C          | NA         |
| MAXLITE                      | SKEU322HEL/SC           | IS              | 2             | L                 | 0.77  | C          | C          | NA         | C          | C          | NA         |
| MAXLITE                      | SKEU324HE/SC            | IS              | 4             | N                 | 0.88  | C          | C          | NA         | C          | C          | NA         |
| MAXLITE                      | SKEU323L/SC             | IS              | 3             | L                 | 0.78  | C          | C          | NA         | C          | C          | NA         |
| MAXLITE                      | MLEU322HEL/SC           | IS              | 2             | N                 | 0.83  | C          | C          | NA         | C          | C          | NA         |
| MAXLITE                      | MLEU323H/SC             | IS              | 3             | H                 | 1.18  | NC         | NC         | NA         | NC         | C          | NA         |
| MAXLITE                      | MLEU324HE/SC            | IS              | 4             | N                 | 0.88  | NC         | C          | NA         | NC         | C          | NA         |
| OSRAM                        | QHE 2x32T8/347 PSN-SC   | PRS             | 2             | N                 | 0.88  | NA         | NA         | C          | NA         | NA         | C          |
| OSRAM SYLVANIA               | QTP 2X32T8/UNV ISN-SC   | IS              | 2             | N                 | 0.88  | C          | C          | NA         | C          | C          | NA         |
| OSRAM SYLVANIA               | QHE 2X32T8/UNV ISN-SC   | IS              | 2             | N                 | 0.88  | C          | C          | NA         | C          | C          | NA         |
| OSRAM SYLVANIA               | QHE 2X32T8/UNV ISL-SC   | IS              | 2             | L                 | 0.78  | C          | C          | NA         | C          | C          | NA         |
| OSRAM SYLVANIA               | QHE 3X32T8/UNV ISH-SC   | IS              | 3             | H                 | 1.18  | NC         | NC         | NA         | C          | C          | NA         |
| OSRAM SYLVANIA               | QHE 4X32T8/UNV ISN-SC   | IS              | 4             | N                 | 0.88  | C          | C          | NA         | C          | C          | NA         |
| OSRAM SYLVANIA               | QHE 4X32T8/UNV ISL-SC   | IS              | 4             | L                 | 0.78  | C          | C          | NA         | C          | C          | NA         |
| OSRAM SYLVANIA               | QHE 1X32T8/UNV ISN-SC   | IS              | 1             | N                 | 0.88  | NA         | NA         | NA         | C          | C          | NA         |
| OSRAM SYLVANIA               | QHE 1X32T8/UNV ISL-SC   | IS              | 1             | L                 | 0.78  | NA         | NA         | NA         | C          | C          | NA         |
| OSRAM SYLVANIA               | QHE 2X32T8/UNV ISH-SC   | IS              | 2             | H                 | 1.20  | NC         | NC         | NA         | NC         | NC         | NA         |
| OSRAM SYLVANIA               | QTP 3X32T8/UNV ISN-SC   | IS              | 3             | N                 | 0.88  | C          | C          | NA         | C          | C          | NA         |
| OSRAM SYLVANIA               | QHE 3X32T8/UNV ISN-SC   | IS              | 3             | N                 | 0.88  | C          | C          | NA         | C          | C          | NA         |
| OSRAM SYLVANIA               | QHE 3X32T8/UNV ISL-SC   | IS              | 3             | L                 | 0.78  | C          | C          | NA         | C          | C          | NA         |

### LEGEND

|           |               |           |               |           |                  |           |                |              |                               |           |                |          |        |                 |      |
|-----------|---------------|-----------|---------------|-----------|------------------|-----------|----------------|--------------|-------------------------------|-----------|----------------|----------|--------|-----------------|------|
| <b>IS</b> | Instant Start | <b>PH</b> | Preheat Start | <b>PS</b> | Programmed Start | <b>RS</b> | Rapid Start    | <b>PS/DM</b> | Programmed Start and Dimmable | <b>L</b>  | Low            | <b>N</b> | Normal | <b>H</b>        | High |
| <b>NT</b> | Not Tested    | <b>T</b>  | THD > 30%     | <b>P</b>  | PF < 0.85        | <b>NA</b> | Not Applicable | <b>C</b>     | Compatible                    | <b>NC</b> | Not Compatible |          |        | <b>EIKO.COM</b> |      |